*



	Safety data sheet according to 1907/2006/EC, Article 31	
Printing date 02.06.2015	Version number 103	Revision: 02.06.2015
SECTION 1: Identificat	ion of the substance/mixture and of the	e company/undertaking
· 1.1 Product identifier · Trade name: <u>MOTIP CARAT</u>	CHROME EFFECT Chrome Silver, Chrom	e Gold and Chrome Copper
• Article number: 08201, 08200 • 1.2 Relevant identified uses of No further relevant information • Application of the substance	f the substance or mixture and uses advised ag on available.	gainst
 1.3 Details of the supplier of a Manufacturer/Supplier: MOTIP DUPLI B.V. Wolfraamweg 2 NL- 8471 XC Wolvega The Netherlands Tel: +31 (0)561 694400 Fax: +31 (0)561 694411 e-mail info@nl.motipdupli.com 		
• Further information obtainal • 1.4 Emergency telephone nur	ble from: QHSE Department nber: +31 (0)561-694400 (09:00h - 17:00h)	
SECTION 2: Hazards id	loutification	
2.1 Classification of the subst Classification according to R GHS02 flame Flam. Aerosol 1 H222-H22 GHS07		ontainer: May burst if heated.
Skin Irrit. 2 H315 Eye Irrit. 2 H319	Causes skin irritation. Causes serious eye irritation.	
Aquatic Chronic 3 H412	Harmful to aquatic life with long lasting effe	ects.
• Classification according to D	irective 67/548/EEC or Directive 1999/45/EC	
F+; Extremely flammable	'e	
<i>R12: Extremely flam</i>	nable.	
environment. V. • Information concerning parts The product has to be labelled preparations of the EU" in the Warning! Pressurised contain Has a narcotising effect. • Classification system:	er.	ral Classification guideline for
The classification is according data.	g to the latest editions of the EU-lists, and exten	ded by company and literature

(Contd. on page 2)

Page 2/9


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper



SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

*

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane F+ R12 Flam. Gas 1, H220 Press. Gas C, H280	20-25%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane F+R12 Flam. Gas 1, H220 Press. Gas C, H280	12.5-20%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-xxxx	isobutane F+ R12 Flam. Gas 1, H220 Press. Gas C, H280	12.5-20%
	(Co	ntd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

	(Co	ntd. of page
CAS: 67-64-1	acetone	12.5-20%
EINECS: 200-662-2	🗙 Xi R36	
Index number: 606-001-00-8	🔥 F R11	
Reg.nr.: 01-2119471330-49-xxxx	R66-67	
	🔞 Flam. Liq. 2, H225	
	() Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 1330-20-7	xylene	10-12.5%
EINECS: 215-535-7	Xn R20/21	
Index number: 601-022-00-9	X i R38	
Reg.nr.: 01-2119488216-32-xxxx	R10	
-	🛞 Flam. Liq. 3, H226	
	Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom.	5-10%
EC number: 918-668-5	X n R65	
Reg.nr.: 01-2119455851-35-xxxx		
°	¥ N R51/53	
	R10-66-67	
	🚸 Flam. Liq. 3, H226	
	A sp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
	STOT SE 3, H335-H336	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

×

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

- *Keep away from ignition sources.* 6.2 *Environmental precautions:*
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

(Contd. on page 4)

Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

(Contd. of page 3)

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required. Ensure good ventilation/exhaustion at the workplace.
Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

• Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:	
106-97-8 butane	
WEL Short-term value: 1810 mg/m³, 750 ppm	
Long-term value: 1450 mg/m ³ , 600 ppm	
Carc (if more than 0.1% of buta-1.3-diene)	
67-64-1 acetone	
WEL Short-term value: 3620 mg/m³, 1500 ppm	
Long-term value: 1210 mg/m ³ , 500 ppm	
1330-20-7 xylene	
WEL Short-term value: 441 mg/m ³ , 100 ppm	
Long-term value: 220 mg/m ³ , 50 ppm	
Sk; BMGV	
· Ingredients with biological limit values:	
1330-20-7 xylene	
BMGV 650 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift	
Parameter: methyl hippuric acid	
• Additional information: The lists valid during the making were used as basis.	
· 8.2 Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Wash hands before breaks and at the end of work.	
	(Contd. on page 5)

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

(Contd. of page 4)

GB

Do not inhale gases / fumes / aerosols.

• **Respiratory protection:** Not required.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Not required.

· Penetration time of glove material Not required.

• Eye protection: Not required.

SECTION 9: Physical and chemical properties

General Information	
Appearance:	A 7
Form: Colour:	Aerosol
Odour:	According to product specification Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
Flash point:	$< 0 \ ^{\circ}C \ (< 32 \ ^{\circ}F)$
	Not applicable, as aerosol.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	365 °C (689 °F)
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
Explosion limits:	
Lower:	1.0 Vol %
Upper:	13.0 Vol %
Vapour pressure at 20 °C (68 °F):	3500 hPa (2625 mm Hg)
Density at 20 °C (68 °F):	0.714 g/cm ³ (5.958 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	82.9 %
EU-VOC:	591.6 g/l
EU-VOC in %:	82.85 %

*

Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

· Solids content:

17.1 %

(Contd. of page 5)

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

106-97-8 butane Inhalative LC50 / 4 h 658000 mg/m3 (rat)

67-64-1 acetone

Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

Inhalative LC50 / 4 h 39 mg/m3 (rat)

 1330-20-7 xylene

 Oral
 LD50
 3523 mg/kg (rat)

 Dermal
 LD50
 2000 mg/kg (rabbit)

Inhalative LC50/4h 22.1 mg/m3 (rat)

64742-95-6 Solvent naphtha (petroleum), light arom.OralLD503592 mg/kg (rat) (OECD401)

Dermal LD50 >3160 mg/kg (rab) (OECD402)

Inhalative LC50/4h >6193 mg/m3 (rat)

64742-48-9 Naphta (petroleum), hydrotreated heavyOralLD50>15000 mg/kg (rat)

 Dermal
 LD50
 >3000 mg/kg (rab)

 Inhalative
 LC50 / 4 h
 >2.8 mg/m3 (rat)

· Primary irritant effect:

• Skin corrosion/irritation No irritant effect.

· Serious eye damage/irritation No irritating effect.

· Respiratory or skin sensitisation No sensitising effects known.

SECTION 12: Ecological information

· 12.1 Toxicity

1 2 .1 10 <i>a</i> (chy		
• Aquatic toxicity:		
67-64-1 acetone		
EC50 / 48 h	8800 mg/l (daphnia magna)	
LC50 / 48 h	2262 mg/l (daphnia magna)	
		(Contd. on page 7)

GB

Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

	(Contd. of pa
LC50 / 96 h (sta	utic) 5540 mg/l (fish)
1330-20-7 xyler	10
EC50 / 48 h	7.4 mg/l (daphnia magna)
LC50/96 h	13.5 mg/l (fish)
64742-95-6 Sol	vent naphtha (petroleum), light arom.
EC50 / 24 h	150 mg/l (daphnia magna)
EC50 / 48 h	7.4 mg/l (daphnia magna)
LC50/96 h	3.77 mg/l (fish)
64742-48-9 Naj	ohta (petroleum), hydrotreated heavy
LC50 / 96 h	>100 mg/l (crustacean (amphipod))
	>100 mg/l (fish)
 12.4 Mobility in Ecotoxical effect Remark: Harmy 	
• General notes: Water hazard ci Do not allow pr Danger to drink Harmful to aqua	lass 2 (German Regulation) (Self-assessment): hazardous for water oduct to reach ground water, water course or sewage system. ing water if even small quantities leak into the ground. atic organisms
• PBT: Not applie • vPvB: Not applie	

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

*

*

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other dangerous substances

15 01 04 metallic packaging

· Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name · ADR · IMDG	1950 AEROSOLS AEROSOLS	
·IATA	AEROSOLS, flammable	(Contd. on page 8)

GB

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

	(Contd. of p	ag
· 14.3 Transport hazard class(es)		
· ADR		
· Class	2 5F Gases.	
· Label	2.1	
· IMDG, IATA		
· Class	2.1	
· Label	2.1	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Gases.	
· Danger code (Kemler):	-	
· EMS Number:	F-D,S-U	
· 14.7 Transport in bulk according to Anne		
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
\cdot Limited quantities (LQ)	1L	
\cdot Excepted quantities (EQ)	Code: E0	
Transport estacom	<i>Not permitted as Excepted Quantity</i> 2	
• Transport category • Tunnel restriction code	2 D	
	~	
· IMDG · Limited quantities (LQ)	1L	
\cdot Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN1950, AEROSOLS, 2.1	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

*

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

⁻ GB

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 103

Revision: 02.06.2015

Trade name: MOTIP CARAT CHROME EFFECT Chrome Silver, Chrome Gold and Chrome Copper

	(Contd. of pa
Releva	nt phrases
H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
	Harmful in contact with skin.
	Causes skin irritation.
H319	Causes serious eye irritation.
	Harmful if inhaled.
	May cause respiratory irritation.
	May cause drowsiness or dizziness.
	Toxic to aquatic life with long lasting effects.
R10	Flammable.
R11	Highly flammable.
R12	Extremely flammable.
R20/21	Harmful by inhalation and in contact with skin.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.
RID: Règ Internation ICAO: Int ADR: Acc Carriage IMDG: Int IATA: Int GHS: Glu EINECS: ELINCS: CAS: Chu	 viations and acronyms: glement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the onal Transport of Dangerous Goods by Rail) tternational Civil Aviation Organisation cord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International e of Dangerous Goods by Road) nternational Maritime Code for Dangerous Goods ternational Air Transport Association obally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances emical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent
	ethal dose, 50 percent
	as 1: Flammable gases, Hazard Category 1
	prosol 1: Flammable aerosols, Hazard Category 1
	as C: Gases under pressure: Compressed gas g. 2: Flammable liquids, Hazard Category 2
	q. 3: Flammable liquids, Hazard Category 3
Acute To.	x. 4: Acute toxicity, Hazard Category 4
	t. 2: Skin corrosion/irritation, Hazard Category 2
	2: Serious eye damage/eye irritation, Hazard Category 2 53: Specific target organ toxicity - Single exposure, Hazard Category 3
	. 1: Aspiration hazard, Hazard Category 1
	Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2
Aquatic (Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3
	compared to the previous version altered.